


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
3	WAS CUSTOM TOOL	8/31/11	BTH
4	RESTORED ORIGINAL WIDTH TOLERANCE	9/21/12	BTH



SECTION A - A

Ao = 5.40
Bo = 8.40
Ko = 1.40

NOTES:

- 10 SPROCKET HOLE PITCH CUMULATIVE TOLERANCE ± 0.2
- POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
- Ao AND Bo ARE CALCULATED ON A PLANE AT A DISTANCE "R" ABOVE THE BOTTOM OF THE POCKET.



TITLE ADVANTEK PART DRAWING NUMBER SOP5X8-A CARRIER TAPE			
TOLERANCES - UNLESS NOTED 1PL ± 0.2 2PL ± 0.10	MATERIAL PS+C	DWG SIZE B	
ALL DIMS IN MILLIMETERS PER ASME Y14.5M			
DRAWN BY RJB/BVB	DATE 7/20/99	SCALE 3:1	SHEET 1 OF 1
CK'D BY	PROJECT NO. T-8887/ 7667.00	DWG NO. T102379AT	REV 4